

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	249	@ad<"19991230" and 455/419. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/31 07:48
L2	74	1 and provision\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/31 07:53
L3	51	1 and encrypt\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/31 07:53
L4	22	1 and provision\$5 and encrypt\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/31 07:53
L5	32	1 and provision\$5 and packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/31 07:53
L6	7	1 and encrypt\$5 same packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/31 07:53
S1	146	samsung and mobile and ip	US-PGPUB; USPAT	OR	ON	2003/10/27 14:25
S2	9	samsung and mobile and ip and provisioning	US-PGPUB; USPAT	OR	ON	2003/10/15 15:20
S3	1	"6151628".PN.	USPAT	OR	OFF	2003/10/15 15:11
S4	1	mobile with IP with unprovisioned	US-PGPUB; USPAT	OR	ON	2003/10/23 11:30
S5	1	mobile with IP with (unprogrammed unregistered "not registered" "not provisioned")	US-PGPUB; USPAT	OR	ON	2003/10/17 08:32
S6	6	"20020057657" "6526033".pn. "6496505".pn. "6493551".pn. "6490451".pn. "6434134".pn.	US-PGPUB; USPAT	OR	ON	2003/10/23 08:56
S7	1	"6151628".PN.	USPAT	OR	OFF	2003/10/22 16:16
S8	1	"6118778".PN.	USPAT	OR	OFF	2003/10/22 16:19
S9	1	"6363249".PN.	USPAT	OR	OFF	2003/10/22 16:25

S10	1	"6301484".PN.	USPAT	OR	OFF	2003/10/22 16:26
S11	1	"6269244".PN.	USPAT	OR	OFF	2003/10/22 16:27
S12	1	"5915225".PN.	USPAT	OR	OFF	2003/10/22 16:29
S13	2	"6141544".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/22 16:49
S14	68079	mobile same station	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/22 16:49
S15	44523	(mobile same station ) and @ad<"19991230"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 12:19
S16	39	((mobile adj station) with (base adj station)) same encrypt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/23 08:21
S17	6	IP with (base adj station) with encrypt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/23 08:22
S18	110	IP with (base adj station) with receive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/23 08:22
S19	19	(IP with (base adj station) with receive) and @ad<"19991230"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/23 08:47
S20	15616	wireless adj network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/23 08:47
S21	86	base adj station with encrypt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/23 08:47

S22	8	(wireless adj network) and (base adj station with encrypt) and (((mobile adj station) with (base adj station)) same encrypt)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/23 09:57
S23	219	380/270.ccls. and @ad<"19991230"	US-PGPUB; USPAT	OR	ON	2005/10/26 14:09
S24	89	(380/270.ccls. and @ad<"19991230") and (base adj station router hub)	US-PGPUB; USPAT	OR	ON	2003/10/23 09:07
S25	1368	(cellular mobile) adj (phone telephone) and IP and internet and @ad<"19991230"	US-PGPUB; USPAT	OR	ON	2003/10/23 09:09
S26	486	(cellular mobile) adj (phone telephone) and IP and internet and @ad<"19991230" and base adj station	US-PGPUB; USPAT	OR	ON	2003/10/23 09:11
S27	88	(cellular mobile) adj (phone telephone) and IP adj packet and internet and @ad<"19991230" and base adj station	US-PGPUB; USPAT	OR	ON	2003/10/23 09:53
S28	1	(cellular mobile) adj (phone telephone) and IP adj packet and internet and @ad<"19991230" and base adj station with encrypt\$5	US-PGPUB; USPAT	OR	ON	2003/10/23 09:56
S29	50	@ad<"19991230" and IP with receiv\$4 with base adj station	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/31 07:48
S30	9	(@ad<"19991230" and IP with receiv\$4 with base adj station) and encrypt\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/23 10:01
S31	36	@ad<"19991230" and IP with base adj station and encrypt\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/23 10:25
S32	0	@ad<"19991230" and unprovisioned and base adj station	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/23 10:40
S33	384	@ad<"19991230" and (provisioned unprovisioned provisioning) and base adj station	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/23 10:47

S34	49	@ad<"19991230" and (provisioned unprovisioned provisioning) and base adj station and encrypt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/23 10:50
S35	5	encrypt same (mobile adj switching adj center) and @ad<"19991230"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/23 11:11
S36	1	"6047194".PN.	USPAT	OR	OFF	2003/10/23 11:09
S37	1	"5642401".PN.	USPAT	OR	OFF	2003/10/23 11:09
S38	1736	mobile adj station same (mobile adj switching adj center) and @ad<"19991230"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/23 11:18
S39	2	"6,496,505".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/23 11:18
S40	1	"6092110".PN.	USPAT	OR	OFF	2003/10/23 11:26
S41	13	(provision provisioning unprovisioned) same IP same mobile adj station and @ad<"19991230"	US-PGPUB; USPAT	OR	ON	2003/10/23 11:44
S42	1	"5,708,655".pn.	US-PGPUB; USPAT	OR	ON	2003/10/23 11:36
S43	0	"over the air" and \$provision\$	US-PGPUB; USPAT	OR	ON	2003/10/23 11:44
S44	0	"over the air" and provision\$4	US-PGPUB; USPAT	OR	ON	2003/10/23 11:44
S45	1167	ota and provision\$4	US-PGPUB; USPAT	OR	ON	2003/10/23 11:45
S46	1167	"ota" and provision\$4	US-PGPUB; USPAT	OR	ON	2003/10/23 11:45
S47	26022	wireless and provision\$4	US-PGPUB; USPAT	OR	ON	2003/10/23 11:45
S48	4114	mobile same provision\$4	US-PGPUB; USPAT	OR	ON	2003/10/23 11:45
S49	60	(mobile same provision\$4) and @ad<"19991230" and encrypt	US-PGPUB; USPAT	OR	ON	2003/10/23 12:09
S50	312	provisioning with ip	US-PGPUB; USPAT	OR	ON	2003/10/23 12:09
S51	83	(provisioning with ip) and @ad<"19991230"	US-PGPUB; USPAT	OR	ON	2003/10/23 12:10

S52	18588739	@ad<"19991230"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/27 11:51
S53	694	mobile and ip and encrypt\$5 and @ad<"19991230"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/27 11:54
S54	225	(mobile and ip and encrypt\$5 and @ad<"19991230") and base adj station	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/27 11:54
S55	41	((mobile and ip and encrypt\$5 and @ad<"19991230") and base adj station) and ip adj packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/27 11:54
S56	98	"5590133".URPN.	USPAT	OR	ON	2003/10/27 12:13
S57	2	"6587684".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/10/27 12:58
S58	3366	HLR (home adj location adj register)	US-PGPUB; USPAT	OR	ON	2003/10/27 14:26
S59	7	(HLR (home adj location adj register)) same (unprovisioned unactivated)	US-PGPUB; USPAT	OR	ON	2003/10/27 14:29
S60	114	(HLR (home adj location adj register)) same (provisioning unprovisioned unactivated)	US-PGPUB; USPAT	OR	ON	2003/10/27 14:29
S61	55	(HLR (home adj location adj register)) same (provisioning unprovisioned unactivated) and @ad<"19991230"	US-PGPUB; USPAT	OR	ON	2003/10/27 14:29
S62	18634265	@ad<"19991230"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/07 10:02
S63	2	@ad<"19991230" and provisioning adj server with decrypt\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/07 10:14

S64	2	@ad<"19991230" and provision\$5 adj server with decrypt\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/07 10:17
S65	2	@ad<"19991230" and provision\$5 adj (server module unit) with decrypt\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/04/07 10:20
S66	18645497	@ad<"19991230"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 12:37
S67	1	@ad<"19991230" and (mobile adj (station phone)) and provisioning adj server same encrypt\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 13:01
S68	3	@ad<"19991230" and provisioning adj server same encrypt\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 15:08
S69	8	@ad<"19991230" and (mobile adj (station phone)) and authentication adj server same encrypt\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 13:01
S70	0	@ad<"19991230" and (mobile adj (station phone)) and provisioning and unprovisioned	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 13:01
S71	0	@ad<"19991230" and (mobile adj (station phone)) and unprovisioned	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 13:01
S72	41	@ad<"19991230" and (wireless) and authentication adj server same encrypt\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 13:03
S73	1	@ad<"19991230" and (wireless) and provisioning adj server same encrypt\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 13:03

S74	4	@ad<"19991230" and (wireless) and provisioning and unprovisioned	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/28 13:03
S78	1	"6647260".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/09 11:05
S79	4	@ad<"19991230" and (provisioning activation) adj server same encrypt\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/09 15:30
S80	19	@ad<"19991230" and (provisioning activation) adj server and encrypt\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 08:44
S81	29	@ad<"19991230" and (provisioning activation) and encrypt\$5 same tunnel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 08:45
S82	3	@ad<"19991230" and (provisioning activation) and encrypt\$5 same tunnel same proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 08:46
S83	19	@ad<"19991230" and (provisioning activation) and encrypt\$5 same tunnel and proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 09:25
S84	10	@ad<"19991230" and encrypt\$5 same tunnel same proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 09:26
S85	1	"6647260".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2005/10/26 13:15
S86	202	IP with (base adj station) with receive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 14:08
S87	235	380/270.ccls. and @ad<"19991230"	US-PGPUB; USPAT	OR	ON	2005/10/26 14:08

S88	61	@ad<"19991230" and IP with receiv\$4 with base adj station	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 14:08
S89	103	(provisioning with ip) and @ad<"19991230"	US-PGPUB; USPAT	OR	ON	2005/10/26 14:08
S90	6	encrypt same (mobile adj switching adj center) and @ad<"19991230"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 14:08
S91	53	((mobile and ip and encrypt\$5 and @ad<"19991230") and base adj station) and ip adj packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 14:08
S92	4	@ad<"19991230" and (provisioning activation) adj server same encrypt\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 14:08
S93	10	(HLR (home adj location adj register)) same (unprovisioned unactivated)	US-PGPUB; USPAT	OR	ON	2005/10/26 14:09
S94	24	(IP with (base adj station) with receive) and @ad<"19991230"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/26 14:09
S95	194	713/170.ccls. and @ad<"19991230"	US-PGPUB; USPAT	OR	ON	2005/10/26 14:09